

PV-60 Hose reel, heavy duty model



Description

Diameter 550 x height 550 x depth 600 mm

A heavy-duty model for installation on a wall or the floor. Includes a fire hydrant hose, a Handfighter nozzle, a 1" shut-off valve and a rewinding crank. The reel has a 1" inner thread for a feed pipe.

Standard

Manufactured according to EN 671-1 standard specifications.

Surface finish

Epoxy powder coated.

Standard colours:

- grey (RAL 7040)
- white (RAL 9016)
- red (RAL 3020)

Hose

1. Fabric surface polyester/EPDM lightweight hose. Fulfils EN 694:2001 standard.
 - Operating pressure: 1,2 MPa
 - Burst pressure: 9 MPa
2. Nitrile/PVC fire hydrant hose reinforced with polyester webbing. Fulfils EN 694:2001 Type A Class 2 standard.
 - Operating pressure: 1,2 MPa
 - Burst pressure: 4 MPa

The hose assembly is equipped with a spray nozzle.




Reel

The reels are made from 1 mm steel and the hub of the reel is made from a special pressure-tested brass casting.

Hose size alternatives

Code	Model	Size
2956302	PV-60	19 mm/30 m
2956304	PV-60	19 mm/40 m
2956306	PV-60	19 mm/50 m
2956308	PV-60	19 mm/60 m
2956310	PV-60	19 mm/70 m
2956312	PV-60	19 mm/80 m
2956314	PV-60	19 mm/90 m
2956316	PV-60	25 mm/30 m
2956318	PV-60	25 mm/40 m
2956320	PV-60	25 mm/50 m
2956322	PV-60	25 mm/60 m
2956324	PV-60	25 mm/70 m
2956300	PV-60	Without a hose or nozzle

PV-60



Exploded view of the reel

