


KWC HEAVY-DUTY WC washbasin combination

Modell-Linie: HEAVYDUTY | HDTX806L
Heavy Duty | Fångelse moduler



KWC-No.

2000100956

Version with WC pan angled 45° to the left

2000100957

Version with centrally arranged WC pan Dimensions 390 x 1000 x 780 mm (W x H x D)

2000100958

Version with WC pan angled 45° to the right Dimensions 699 x 1000 x 669 mm (W x H x D)

Toalett placering

Vänster

Mitten

Höger

Chromium nickel steel WC wash basin combination, satin finish surface for installing outside a utility room accessible from the back with remotely controlled tap components for fitting in the utility room, fixing from the back with threaded pins. Mounting stand, material thickness 2 mm with elevated rear wall including wall outlet and piezo button with start/stop function with seamless welded WC paper compartment and seamless moulded wash basin with trap, outlet DN 40. WC pan, material thickness 1.6 mm with full-length skirting, arranged on the left 45 degrees, bowl rim where nothing

can hide with piezo button for WC flushing, flushing certified pursuant to EN 997, horizontal outlet at the back DN 100. With solenoid to connect to premixed hot water or cold water. Condensation water-proof concealed cistern with single flush technology (9 or 6 litres) Supply voltage 24 V DC Including fixing material.

Overall dimensions 699 x 1000 x 669 (W x H x D)

Technical Data

Kroppsvidd

390 mm

Främre ingångs panel

Nej

Golvfixerad skak platta

Nej

Inbyggnadsmått

DN 15

Material

Rostfritt stål

Materialkod

1.4301

Material tjocklek kropp

2 mm

Material tjocklek WC

1.5 mm

Utloppets storlek

DN50#DN100

Övergripande djup

669 mm

Total höjd

1,000 mm

Total bredd

699 mm

Bräddavlopp

Nej

rör material

Rostfritt stål

Självstängande tryck knapp

ELECTRONICAL

Toalett rulls diameter

153 mm

Skruvad design

Rund form

Tvål kopp

Nej

Sprut längd

83 mm



KWC HEAVY-DUTY WC washbasin combination

Modell-Linie: HEAVYDUTY | HDTX806L
Heavy Duty | Fångelse moduler

| |
|---------------------------|
| Ytfinish |
| kran med spolmunstycke |
| typ av spolsystem |
| Typ av montering |
| Typ av toaletsits |
| Typ av WC |
| övre kanten av skålhöjden |
| Stående djup |
| Stående höjd |
| Toalett höjd |
| Toalett placering |

| |
|----------------|
| Satin yta |
| Nej |
| WC |
| Bult montering |
| NO-SEAT |
| Golv stående |
| 850 mm |
| 20 mm |
| 150 mm |
| 400 mm |
| Vänster |

Nödvändiga tillbehör



ECC2 function controller

2000108123
ZA30P0011



ECC2 function controller

2030016282
ZA30P0022




Strömförsörjning - A3000 open

2000100375
ZAQUA007



Strömförsörjning

2000102691
ZAQUA094



System-kabel

2000100801
ZAQUA077




System-kabel

2000100852
ZAQUA078



System-kabel

2000104272
ZAQUA011



System-kabel

2000104274
ZAQUA012

Reservdelar

KWC HEAVY-DUTY WC washbasin combination

Modell-Linie: HEAVYDUTY | HDTX806L
Heavy Duty | Fångelse moduler




Wall outlet, DN 15

2000107291
ZTAPS0004



Elektronisk t-fördelning

2000100853
ZAQUA075



Solenoid valve

2000101328
ZAQUA032



Stainless steel care set

2000109019
ZW SPL0024



Cleaning product CHROMOL

2000105091
ZW SPL0023