

## HANSAPRIMO shower set thermostat

### Product Images



### Description

HANSAPRIMO  
shower set  
thermostat

#### **HANSABASICJET wall bar set 600 mm**

Item No.: 44780130

Qty: 1

consisting of:

HANSABASICJET wall bar, 600 mm

height adjustment lockable

slide: swivelling

shower bracket: adjustable

fastening set

HANSABASICJET shower hose, 1750 mm

soap dish

levelling of tiles

HANSABASICJET 3 hand shower

(-) 3-spray

limescale protection technology

#### **HANSAPRIMO one-hole single-lever basin mixer, DN 15**

Item No.: 49422203

Qty: 1

body: DR brass (MS 63)

watercourse system without nickel coating

operating lever (metal)

(-) H+C symbol

aerator

(-) constant flow rate independent of pressure

(-) improved limescale protection with the HONEYCOMB® structure

without pop-up waste

without draw-rod opening

rapid installation system

connection with flexible hoses G 3/8

#### **HANSAUNITA thermostatic shower mixer, DN 15 (G 1/2)**

for wall-mounting

with protection against scalding

Item No.: 58130001

Qty: 1

body: DR brass (MS 63)

THERMO COOL

operating handles

volume valve with ceramic discs

water rate economy button

safety stop against scalding at 38°C

retrofittable temperature limiter at approximately 38 °C

without eccentric connections

strainer and backflow preventer in connections

protected against back-flow in domestic use (according to DIN EN 1717)

#### **Model**

#### **Item No.**

chrome

464300010046



