

| | | | |
|--------|---------------|------------------------|---------------|
| Number | 0620-CPR-6437 | Replaces | 0620-CPD-6437 |
| Issued | 2013-09-15 | First issued under CPR | 2013-09-15 |
| | | First issued under CPD | 2002-02-01 |

Certificate of
CONSTANCY OF PERFORMANCE
AVCP 1

Notified Body 0620, Kiwa has determined that

NOHA Norway AS

fulfils all provisions concerning the assessment and verification of constancy of performance at system 1 and the performances described in Annex ZA of the standard EN671-1:2012.

Hose reels with semi-rigid hose

Product:

- As stated on page 2 in this Certificate of constancy of performance.

Task


Producer

Factory Production Control
Further testing of Samples

Task

Kiwa

Initial Type Testing
Certification of FPC
Continuous surveillance



Bouke Meekma
Kiwa

This certificate consists of 2 pages.
Publication of the certificate is allowed.


Kiwa Nederland B.V.

Sir Winston Churchilllaan 273
Postbus 70
2280 AB RIJSWIJK
The Netherlands

Tel. +31 70 414 44 00
Fax +31 70 414 44 20
info@kiwa.nl
www.kiwa.nl

Producer

NOHA Norway AS
Lagerveien 25
N-4033 Stavanger
Norway
Tel. +47.51 81 6000
Fax +47.51 81 6001



| | | | | | |
|------|---|--------|---------------|------------------------|---------------|
| page | 2 | Number | 0620-CPR-6437 | Replaces | 0620-CPD-6437 |
| | | Issued | 2013-09-15 | First issued under CPR | 2013-09-15 |
| | | | | First issued under CPD | 2002-02-01 |

Notified Body No.0620, Kiwa Nederland B.V.

Certificate of constancy of performance 0620-CPR-6437

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Hose reels with semi-rigid hose

| Model | Design |
|--------------|---|
| 1 | manually operated |
| 1A | automatic |
| 1B | manually operated |
| 1SW | swinging, manually operated |
| 1SWA | swinging, automatic |
| 1SWB | swinging, manually operated |
| 2SW | swinging, manually operated |
| 2SWA | swinging, automatic |
| 3 | manually operated, in cabinet |
| 3A | automatic, in cabinet |
| 3B | manually operated, in cabinet |
| 3SW | swinging, manually operated, in cabinet |
| 3SWA | swinging, automatic, in cabinet |
| 31 | manually operated, in cabinet |
| 31A | automatic, in cabinet |
| 31B | manually operated, in cabinet |
| 31SW | swinging, manually operated, in cabinet |
| 31SWA | swinging, automatic, in cabinet |
| 43 | manually operated, in cabinet |
| 5A | manually operated, in cabinet |
| 5AA | automatic, in cabinet |
| 5B | manually operated, in cabinet |
| 5BA | automatic, in cabinet |
| 5BR | manually operated, in cabinet |
| 5BRA | automatic, in cabinet |
| 5C | manually operated, in cabinet |
| 5CA | automatic, in cabinet |
| 5CI | manually operated, in cabinet |
| 5D | manually operated |
| 5DA | automatic, in cabinet |
| 32 | manually operated, in cabinet |
| 36 | manually operated, in cabinet |

| | | | | | |
|------|----------|--------|----------------------|------------------------|----------------------|
| page | 3 | Number | 0620-CPR-6437 | Replaces | 0620-CPD-6437 |
| | | issued | 2013-09-15 | First issued under CPR | 2013-09-15 |
| | | | | First issued under CPD | 2002-02-01 |

| Model | Design |
|------------------------------------|--|
| 1NL | manually operated |
| 1G | swinging, manually operated |
| SM SMA | manually operated automatic |
| FM FMA | manually operated, in cabinet automatic, in cabinet |
| FW FWA | manually operated, in cabinet automatic, in cabinet |
| Fcombi FcomiA | manually operated, in cabinet automatic, in cabinet |
| FM-IH | manually operated, in cabinet |
| Gallery Gallery A | manually operated, in cabinet automatic, in cabinet |
| 100 100A | manually operated automatic |
| 100SW 100SWA | swinging, manually operated swinging, automatic |
| 110 110SW | swinging, manually operated swinging, automatic |
| 300 | manually operated, in cabinet |

Provided with

- discs with a diameter of 490, 550, 600, 650 or 700 mm
- nominal hose diameter 19 or 25 mm
- maximum hose length of 30 meter

placed on the market by

NOHA Norway AS
Lagerveien 25
N-4033 Stavanger
Norway

This certificate attests that all provisions concerning the assessment and verification of constancy of performance at system 1+ and the performances described in Annex ZA of the standard

EN671-1:2012


are applied and that

the products fulfil all the prescribed requirements.

| | | | | | |
|------|---|--------|---------------|------------------------|---------------|
| page | 4 | Number | 0620-CPR-6437 | Replaces | 0620-CPD-6437 |
| | | Issued | 2013-09-15 | First issued under CPR | 2013-09-15 |
| | | | | First issued under CPD | 2002-02-01 |

This certificate was first issued on 2013/09/01 and will remain valid as long as the harmonised European standard remains valid or the manufacturing conditions in the plant or the factory production control itself are not modified significantly.

Rijswijk, 15 September 2013



Bouke Meekma
Kiwa