# **BUILDING PRODUCT DECLARATION BPD 3**

in compliance with the guidelines of the Ecocycle Council, June 2007

1 Basic data			
Product identification			Document ID
Product name Bano Støttehåndtak WC 90 cm med høydejustering	Product no/ID designation 5600/L	5600/R,	Product group Støttehåndtak WC
☐ New declaration	In the case of a revise	d declarati	on
Revised declaration	Has the product been changed?	The change	e relates to
	□ No □ Yes	Changed pr	roduct can be identified by
Drawn up/revised on (date)		Inspected v	without revision on (date)
Other information:			
2 Supplier informatio	n		
Company name Bano AS		Comp	oany reg. no/DUNS no 980913023
Address Utstillningsplass	sen 3	Conta	act person
6823 Sandane	Norway	Telep	hone 004757869800
Website: www.bano.no		E-mai	il post@bano.no

No No

If "other", please specify:

Yes Yes

Other

## 3 Product information

certification in compliance with

The company possesses

Other information:

Does the company have an environmental management system?

☐ ISO 9000

Country of final manufac	eture	If country cannot be stated, please state why					
Area of use							
Is there a Safety Data She	eet for this product?			☐ Not relevant	Yes	☐ No	
In accordance with the re	Classificati	on		☐ Not relevant			
Chemicals Agency, pleas	Labelling						
Is the product registered	in BASTA?				Yes	⊠ No	
Has the product been eco-labelled?	Criteria not found	Yes	□ No	If "yes", please spe	ecify:		
Is there a Type III enviro	nmental declaration for the	product?			Yes	☐ No	
Other information:							

☐ ISO 14000

#### 4 Contents (To add a new green row, select and copy an entire empty row and paste it in)

At the time of delivery, the pro	duct comprises the follo	owing parts/	components, with the c	hemical comp	osition stated:
Constituent materials/ components	Constituent substances	Weight % or g	EG no/ CAS no (or alloy)	Classifi- cation	Comments
Elokserte aluminiumsdeler	Eloksert aluminium	75%	6060 eller 6082	-	Elokserings- laget er 0,012- 0,015mm tykt
Deler i syrefast stål	Syrefast stål	5%	A4	-	

Data in fields highlighted in green are requriements in compliance with the Ecocycle Council guidelines.

Plastdeler i POM	POM (polyoxymetylen)	0,2%	-	-	
Plastdeler i PP	PP (polypropylen)	0,8%	CAS: 9003-07-0	Ikke faremerk et	
Plastdeler i PUR	PUR (polyuretan)	19%		-	
Locktite 270	Består av: 3,3,5 Trimethylcyclohex yl methacrylate (40%) Cumene hydroperoxide (3%) Cumene (0,5%)	0,02%	EINECS: 231- 927-0; CAS: 7779-31-9 EINECS: 201- 254-7; CAS: 80- 15-9 EINECS: 202- 704-5; CAS: 98- 82-8	Xi;R36/3 7/38 Irritating to eyes, respirator y system and skin.	Leverandør: Henkel Ireland Limited
Other information:					
If the chemical composition of finished built in product shou	Constituent	weight	nged, no data need be gi	ven in the follo	
finished built in product shou	ald be given here. If the cont	tent is uncha	nged, no data need be gi	ven in the follo	owing table.
<u>finished built in product shou</u> Constituent materials/	Constituent	weight	nged, no data need be gi	ven in the follo	owing table.
<u>finished built in product shou</u> Constituent materials/	Constituent	weight	nged, no data need be gi	ven in the follo	owing table.

Resource utilisation and environmental impays:	pact during production o	of the item is repo	rted in one of the following
I) Inflows (goods, intermediate goods, en outflows (emissions and residual produ	ergy etc) for the registere cts) from it, i.e. from "gat	d product into the re-to-gate".	manufacturing unit, and the
2) All inflows and outflows from the extra	action of raw materials to	finished products	i.e. "cradle-to-gate".
3) Other limitation. State what:	1	T	
The report relates to unit of product	Reported product	The product's product group	The product's production unit
Indicate raw materials and intermediate good	ods used in the manufactu	re of the product	☐ Not relevant
Raw material/intermediate goods	Quantity and unit		Comments
Indicate recycled materials used in the manu-	facture of the product		☐ Not relevant
Type of material	Quantity and unit		Comments
Enter the <b>energy</b> used in the manufacture of the	ne product or its compone	nt parts	☐ Not relevant
Type of energy	Quantity and unit		Comments
Enter the <b>transportation</b> used in the manufac	ture of the product or its o	component parts	☐ Not relevant
Type of transportation	Proportion %		Comments

Enter the <b>emissions to air, wa</b> component parts	ater or soil from	the manufactu	are of the pro	oduct o	or its		No	t relevant	
Type of emission		Quantity and	l unit			Co	mm	ents	
Enter the <b>residual products</b> f	rom the manufac	cture of the pro				S		Not relevan	t
			Proportion Material	Í					
Residual product	Waste code	Quantity	recycled	01	Energy recycled	0/0	Co	mments	
residual product	vv usic code	Qualitity			recycled	. 70		Jimients	
Is there a description of the data accuracy for the manufacturing data?	Yes	□ No	If "yes",	please	specify				
Other information:									
6 Distribution of fir	nished prod	duct							
Does the supplier put into pracproduct?	ctice a system fo	or returning loa	d carriers fo	r the	□ No	t releva	nt	Yes	☐ No
Does the supplier put into praction for the product?	ctice any system	s involving mu	ılti-use pack	aging	□ No	t releva	ınt	Yes	☐ No
Does the supplier take back pa	ackaging for the	product?			☐ No	t releva	ınt	Yes	☐ No
Is the supplier affiliated to RE	PA?				☐ No	t releva	ınt	Yes	☐ No
Other information:									
7 Construction pha	ise								
Are there any special requiren product during storage?	nents for the	☐ Not relev	ant Ye	s $\Box$	] No	If "yes	", pl	lease specify	:
Are there any special requireme building products because of the		☐ Not relev	ant Ye	s	] No	If "yes"	", pl	lease specify	:
Other information:									
8 Usage phase									
Does the product involve any intermediate goods regarding			Yes		lo 1	If "yes"	, ple	ease specify:	
Does the product have any sporequirements for operation?			Yes		lo 1	If "yes"	, ple	ease specify:	
Estimated technical service life	fe for the produc	t is to be enter	ed according	to one	e of the	followi	ng o		b):
a) Reference service life estimated as being approx.	5 years	10 years	15 years	2 years	- I	☐ >50 years		Comments	
b) Reference service life estim	nated to be in the	e interval of	years						
Other information:									
9 Demolition									
Is the product ready for disass apart)?	embly (taking	☐ Not rele	evant	Y	es [	No	If	f "yes", pleas	se specify:
Does the product require any sto protect health and environn demolition/disassembly?		Not rele	evant	☐ Y	zes	⊠ No	If	f "yes", pleas	se specify:
Other information:									

10 Waste managemen	1(	0	W	aste	man	age	em	en
--------------------	----	---	---	------	-----	-----	----	----

10 Waste mana						
Is it possible to re-use al product?	l or parts of the	☐ Not relevant	⊠ Yes	□ No	If "yes", ple Aluminium plastdeler	
Is it possible to recycle reparts of the product?	naterials for all or	☐ Not relevant	⊠ Yes	□ No	If "yes", ple Aluminium plastdeler	
Is it possible to recycle of the product?	energy for all or parts	☐ Not relevant	⊠ Yes	□ No	If "yes", ple Plastdeler	ase specify:
Does the supplier have a recommendations for re- energy recycling or wast	use, materials or	☐ Not relevant	Yes	⊠ No	If "yes", ple	ase specify:
Enter the waste code for 05	the <b>supplied</b> product F	Plastdeler: 17 02 03;	Aluminiums	deler: 17 04	4 02; Ståldel	er: 17 04
Is the <b>supplied</b> product	classed as hazardous wa	aste?			Yes	⊠ No
If the chemical composite delivery, meaning that a If it is unchanged, the fo	nother waste code is given	ven to the finished bui	uilt in from th <b>lt in</b> product,	at which it h then this sho	nad at the time ould be entere	e of d here.
Enter the waste code for	the <b>built in</b> product					
Is the <b>built in</b> product cl	assed as hazardous was	ste?			Yes	☐ No
Other information:						
Other information:  11 Indoor envir	onment (To add a	new green row, select ar	nd copy an entire	e empty row a	and paste it in)	
	the product gives off th	e following emissions	: 🛛		and paste it in)	e any
11 Indoor envir	<u> </u>	or [mg/m³h]	:   Method	The product ssions	<u> </u>	
11 Indoor envir When used as intended,	the product gives off th	e following emissions	: 🛭 em	The product ssions	t does not hav	
11 Indoor envir When used as intended,	the product gives off th	or [mg/m³h]	:   Method	The product ssions	t does not hav	
11 Indoor envir When used as intended,	the product gives off th	or [mg/m³h]	:   Method	The product ssions	t does not hav	
11 Indoor envir When used as intended,	the product gives off th	or [mg/m³h]	:   Method	The product ssions	t does not hav	
11 Indoor envir When used as intended,	the product gives off th	or [mg/m³h]	:   Method	The product ssions	t does not hav	
11 Indoor envir When used as intended,	the product gives off th	or [mg/m³h]	:   Method	The product ssions	t does not hav	
11 Indoor envir When used as intended,	the product gives off the Quantity [µg/m²h]  4 weeks	or [mg/m³h]	Method measure	The product ssions of ement	Comme	
11 Indoor envir When used as intended, Type of emission	the product gives off the Quantity [µg/m²h]  4 weeks  ve rise to any noise?	or [mg/m³h]	Method measure	The product ssions of ement	Comme	nts
11 Indoor envir When used as intended, Type of emission  Can the product itself gi	the product gives off the Quantity [µg/m²h]  4 weeks  ve rise to any noise?  U  e to electrical fields?	or [mg/m³h]  26 weeks	Method measure  Not re  Method o  Not re	The product ssions of ement levant f measurement	Commercial Yes	nts
11 Indoor envir When used as intended, Type of emission  Can the product itself gi Value	the product gives off the Quantity [µg/m²h]  4 weeks  ve rise to any noise?  U  e to electrical fields?	or [mg/m³h]  26 weeks	Method measure  Not re Method o  Method o  Method o  Method o	The product ssions of ement elevant f measurement f measurement elevant elevan	Commercial Yes	nts
11 Indoor envir When used as intended, Type of emission  Can the product itself givalue Can the product give rise	the product gives off the Quantity [µg/m²h]  4 weeks  ve rise to any noise?  Ue to electrical fields?	or [mg/m³h]  26 weeks	Method measure  Not re Method o  Method o  Method o  Method o	The product ssions of ement levant f measurement	Commercial Yes	nts
Type of emission  Can the product itself givalue  Can the product give rise Value	the product gives off the Quantity [µg/m²h]  4 weeks  ve rise to any noise?  Ue to electrical fields?  Ue to magnetic fields?	or [mg/m³h]  26 weeks	Method measure   Not re   Method o   Not re   Method o   Not re   Method o   Not re   Not re	The product ssions of ement elevant f measurement f measurement elevant elevan	Comment Yes ent Yes	No No

## References

# **Appendices**