



## Declaration of Performance refer to CPR 305/2011

<b>1 DoP Reference number</b>	BD/T1/1303	
<b>2 Product description</b>	Pipe system ACO pipes®	
<b>3 Product specification: (Numbers or Specification of product)</b>	Pipes and fittings of longitudinally welded stainless steel pipes with spigot and socket, diameters 50, 75, 110, 125, 160, 200, 250, 315mm.	
<b>4 Intended use</b>	Conveyance of waste water in system usually operating under gravity or at a low head of pressure inside and outside buildings	
<b>5 Manufacturer</b>	ACO Industries, k.s., Havlíčkova 260, 582 22 Přebyslav, Czech Republic	
<b>6 Authorised representative</b>	N/A	
<b>7 Assessment and verification of constancy of performance</b>	System 4 *	
<b>8 Relevant harmonised standard</b>	EN1124-1:1999/A1: 2004	
<b>9 First year of CE marking</b>	2012	
<b>10 Notified body</b>	N/A	
<b>11 Type test report reference number</b>	412489, 233447, 512586-2, 2701-0422-51, 1257692, 1257692-A, 1286870, AP-20140415	
<b>12 Essential characteristics</b>	<b>Characteristics</b>	<b>Performance declared</b>
	Reaction to fire	inherent material property (no test required)
	Dimensional tolerances	Pass
	Longitudinal bending	Pass
	Tightness: gas and liquid	Pass-tight
Durability	inherent material property (no test required)	
<b>13 Specific technical documentation (article 37/38)</b>	-	
<b>14 Other information</b>	* NB 1235 Danish Technological Institute Regarding EN 1124 DTI are accredited to perform testing and inspection by DANAK. ACO holds control agreement (ref 217) with DTI and are under continuous surveillance according to EN 1124	

The performance of the product(s) identified in points 2 and 3 is in conformity with the declared performance in point 12. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 5. Signed for and on behalf of the Manufacturer by

Pribyslav in 1st of January 2017, Pavel Čížek, Operation

