Environmental Profile

This LCA is calculated according to: ISO 14044, ISO 14040 and EN 15804

Ecochain v3.5.64



Product: 3062870 - X-Stream Double Wall Conn.piece 600

Unit: 1 Piece

Manufacturer: Wavin - SE - Eskilstuna

Wavin X-Stream is a new generation of double-walled pipes and fittings made of polypropylene. The system is suitable for pressureless transport of rainwater and wastewater.

LCA standard: EN15804+A2 (2019)

Standard database: Worldwide - Ecoinvent v 3.6 Cut-Off

Externally verified: Yes

Issue date: 20-06-2022 End of validity: 20-06-2027

Verifier: Harry van Ewijk - SGS Search



SGS SEARCH

This LCA was evaluated according to EN15804+A2. It was concluded that the LCA complies with this standard.

The LCA background information and project dossier have been registered in the online Ecochain application in the account Wavin - SE - Eskilstuna (2020). (= module declared, MND = module not declared).

| A1 | A2 | A3 | A4 | A5 | B1 | B2 | B3 | B4 | B5 | B6 | B7 | C1 | C2 | C3 | C4 | D |
|---|-----|----|-----|--|-----|-----|-----|-----|-----|--|-----|----------------|----------------|--------------|----------------------|---|
| MND | MND | | MND | MND | MND | MND | MND | MND | MND | MND | MND | MND | | Ø | $\overline{\square}$ | |
| Product stage Use stage | | | | | | | | | | End-of-Life st | age | | | | | |
| A1 Raw material supply A2 Transport A3 Manufacturing | | | | | | | | | | C1 De-construction demolition C2 Transport C3 Waste processing | | | | | | |
| Construction process stage | | | | B6 Operational energy use B7 Operational water use | | | | | | C4 Disposal | | | | | | |
| | | | | | | | | | | Benefits and loads beyond the system boundaries | | | | | | |
| A4 Transport gate to site A5 Assembly / Construction installation process | | | | | | | | | | | | D Reuse- Recov | ery- Recycling | g- potential | | |

Environmental impacts and parameters

GWP-total = EF Climate Change [kg CO2 eq]; GWP-f = EF Climate change - Fossil [kg CO2 eq]; GWP-b = EF Climate Change - Land use and LU change [kg CO2 eq]; GWP-m = EF Climate Change - Biogenic [kg CO2 eq]; GWP-b = EF Climate Change - Land use and LU change [kg CO2 eq]; GWP-m = EF Climate Change - Biogenic [kg CO2 eq]; GWP-b = EF Climate Change - Land use and LU change [kg CO2 eq]; GWP-m = EF Climate Change - Land use and LU change [kg CO2 eq]; GWP-b = EF Climate Change - Land use and LU change [kg CO2 eq]; GWP-f = EF Climate Change - Land use [kg CO2 eq]; GWP-b = EF Climate Change - Land us

Statement of Confidentiality

This document and supporting material contain confidential and proprietary business information of Wavin - SE - Eskilstuna. These materials may be printed or (photo) copied or otherwise used only with the written consent of Wavin - SE - Eskilstuna.

Results

| Environmental impact | Unit | А3 | A1-A3 | C2 | C3 | C4 | D | Total |
|----------------------|--------------|----------|----------|----|----|----|---|----------|
| GWP-total | kg CO2 eq | 9.48E-1 | 9.48E-1 | 0 | 0 | 0 | 0 | 9.48E-1 |
| GWP-f | kg CO2 eq | 6.87E-1 | 6.87E-1 | 0 | 0 | 0 | 0 | 6.87E-1 |
| GWP-b | kg CO2 eq | 1.81E-1 | 1.81E-1 | 0 | 0 | 0 | 0 | 1.81E-1 |
| GWP-luluc | kg CO2 eq | 7.99E-2 | 7.99E-2 | 0 | 0 | 0 | 0 | 7.99E-2 |
| ODP | kg CFC11 eq | 7.79E-8 | 7.79E-8 | 0 | 0 | 0 | 0 | 7.79E-8 |
| AP | mol H+ eq | 5.82E-3 | 5.82E-3 | 0 | 0 | 0 | 0 | 5.82E-3 |
| EP-fw | kg P eq | 1.27E-5 | 1.27E-5 | 0 | 0 | 0 | 0 | 1.27E-5 |
| EP-m | kg N eq | 1.73E-3 | 1.73E-3 | 0 | 0 | 0 | 0 | 1.73E-3 |
| EP-T | mol N eq | 1.89E-2 | 1.89E-2 | 0 | 0 | 0 | 0 | 1.89E-2 |
| POCP | kg NMVOC eq | 5.26E-3 | 5.26E-3 | 0 | 0 | 0 | 0 | 5.26E-3 |
| ADP-mm | kg Sb eq | 2.07E-5 | 2.07E-5 | 0 | 0 | 0 | 0 | 2.07E-5 |
| ADP-f | MJ | 6.83E+0 | 6.83E+0 | 0 | 0 | 0 | 0 | 6.83E+0 |
| WDP | m3 depriv. | 4.40E+0 | 4.40E+0 | 0 | 0 | 0 | 0 | 4.40E+0 |
| PM | disease inc. | 9.82E-8 | 9.82E-8 | 0 | 0 | 0 | 0 | 9.82E-8 |
| IR | kBq U-235 eq | 2.03E-2 | 2.03E-2 | 0 | 0 | 0 | 0 | 2.03E-2 |
| ETP-fw | CTUe | 1.90E+1 | 1.90E+1 | 0 | 0 | 0 | 0 | 1.90E+1 |
| HTP-c | CTUh | 7.52E-10 | 7.52E-10 | 0 | 0 | 0 | 0 | 7.52E-10 |
| HTP-nc | CTUh | 2.05E-8 | 2.05E-8 | 0 | 0 | 0 | 0 | 2.05E-8 |
| SQP | Pt | 8.98E-1 | 8.98E-1 | 0 | 0 | 0 | 0 | 8.98E-1 |
| Resource use | Unit | A3 | A1-A3 | C2 | C3 | C4 | D | Total |
| PERE | MJ | 4.31E+1 | 4.31E+1 | 0 | 0 | 0 | 0 | 4.31E+1 |
| PERM | MJ | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| PERT | MJ | 4.31E+1 | 4.31E+1 | 0 | 0 | 0 | 0 | 4.31E+1 |
| PENRE | MJ | 7.25E+0 | 7.25E+0 | 0 | 0 | 0 | 0 | 7.25E+0 |
| PENRM | MJ | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| PENRT | MJ | 7.25E+0 | 7.25E+0 | 0 | 0 | 0 | 0 | 7.25E+0 |
| PET | MJ | 5.03E+1 | 5.03E+1 | 0 | 0 | 0 | 0 | 5.03E+1 |
| SM | kg | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| RSF | MJ | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NRSF | MJ | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FW | m3 | 1.05E-1 | 1.05E-1 | 0 | 0 | 0 | 0 | 1.05E-1 |

| Output flows and waste categories | Unit | A3 | A1-A3 | C2 | C3 | C4 | D | Total |
|-----------------------------------|------|---------|---------|----|----|----|---|---------|
| HWD | kg | 1.04E-5 | 1.04E-5 | 0 | 0 | 0 | 0 | 1.04E-5 |
| NHWD | kg | 3.19E-2 | 3.19E-2 | 0 | 0 | 0 | 0 | 3.19E-2 |
| RWD | kg | 2.89E-5 | 2.89E-5 | 0 | 0 | 0 | 0 | 2.89E-5 |
| CRU | kg | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MFR | kg | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MER | kg | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| EE | МЈ | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| EET | МЈ | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| EEE | СМ | 0 | 0 | 0 | 0 | 0 | 0 | 0 |



Ecochain Technologies BV H.J.E. Wenckebachweg 123, 1096 AM Amsterdam, The Netherlands https://www.ecochain.com +31 20 3035 777