

PV-9 Mini fire hydrant cabinet, flush-mounted



Description

Basic model fire hydrant cabinets are manufactured from 1,25 mm steel and the reels are made from 1 mm galvanized steel. The cabinet has a welded back wall that strengthens the structure and a reinforced door. The doors open 180 degrees.

PV-9 is a very small fire hydrant cabinet that is ideal in cramped spaces. A surface-mounted cabinet can be partially sunk into the wall to the desired depth by using a separate flush-mounting frame.

Standard

Manufactured according to EN 671-1 standard specifications.

Surface finish

Epoxy powder-coated

Standard colours:

- grey (RAL 7040)
- white (RAL 9016)
- red (RAL 3020)

Hoses

1. Fabric surface polyester/EPDM lightweight hose. Fulfils EN 694:2001 standard.
 - Operating pressure: 1,2 MPa
 - Burst pressure: 9 MPa
2. Nitrile/PVC fire hydrant hose reinforced with polyester webbing. Fulfils EN 694:2001 Type A Class 2 standard.
 - Operating pressure: 1,2 MPa
 - Burst pressure: 4 MPa

The hose assembly is equipped with a spray nozzle.

Reel

The reels are painted red. The hub of the reel is made from a special pressure-tested brass casting. The reel is equipped with a spring-reinforced feed hose, a spray nozzle and a 1" shut off valve.

Lock

The door is equipped with a special lock that is shielded by a breakable protective glass (picture on the right).



Hose size alternatives

Code	Model	Size	Colour
2953298	PV-9	19 mm/15 m	grey
2953299	PV-9	19 mm/20 m	grey
2953288	PV-9	19 mm/15 m	white
2953289	PV-9	19 mm/20 m	white

Dimensions

