

Industrial model cabinets



Description

Basic model fire hydrant cabinets are manufactured from 1,25 mm steel and the reels are made from 1 mm galvanized steel. The cabinet has a welded back wall that strengthens the structure and a reinforced door. The doors open 180 degrees.

Spacious industrial cabinets can withstand constant heavy use. Heavy-duty doors are equipped with durable stainless steel locks.

Standard

Manufactured according to EN 671-1 standard.

Surface finish

Cabinet is made from stainless steel. The reel can be either stainless steel or epoxy powder-coated.

Standard colours:

- grey (RAL 7040)
- white (RAL 9016)
- red (RAL 3020)

Hoses

1. Nitrile/PVC fire hydrant hose reinforced with polyester webbing. Fulfils EN 694:2001 Type A Class 2 standard.
 - Operating pressure: 1,2 MPa
 - Burst pressure: 4 MPa
2. Fabric surface polyester/EPDM lightweight hose. Fulfils EN 694:2001 standard.
 - Operating pressure: 1,2 MPa
 - Burst pressure: 9 MPa

The hose assembly is equipped with a spray nozzle.

Reel

The reels are painted red. A self-returning hinged mounting bracket is included with the reel. The hub of the reel is made from a special pressure-tested brass casting. The reel is equipped with a spring-reinforced feed hose, a folding rewinding crank, a spray nozzle and a 1" shut off valve.

Fire extinguisher

The fire extinguishers are tested, inspected and approved according to EN3 standard regulations. They are equipped with a wall mounting bracket and a label. The fire extinguisher is not included in the price.

Lock

The lock is made from corrosion resistant stainless steel.



Cabinet alternatives

Industrial model, stainless steel cabinet (with painted reel)

Code	Model	Size
2955100	PV-11TR	790x790x350
2955110	PV-112TR	1150x790x350
Hose and nozzle are not included in price. Max 19 mm/50 m or 25 mm/40 m.		


Industrial model


Code	Model	Size
2955140	PV-11T	790x790x350
2955150	PV-112T	1150x790x350
Hose and nozzle are not included in price. Max 19 mm/50 m or 25 mm/40 m.		

Industrial model, cabinet and reel stainless steel

Code	Model	Size
2955120	PV-11TRR	790x790x350
2955130	PV-112TRR	1150x790x350
Hose and nozzle are not included in price. Max 19 mm/50 m or 25 mm/40 m.		

Dimensions





				GENERAL TOLERANCES 15°-EN 22745-1 m		PARTNAME PV-11T		SECTION Pikapalopostikaappi		VERSION DRAWING NUMBER	
ORDER NO. 1.0570 (S355J2G3)	DATE 2021	ENGR. 2021	SCALE 1:10	DATE 2021	DATE 2021	SCALE 1:10	DATE 2021	ASSOCIATION 2021	ASSOCIATION 2021	ASSOCIATION 2021	ASSOCIATION 2021
A3											

No part of this document may be reproduced or distributed in any form or by any means, or stored in database, without written permission of owner.