


## KWC HEAVY-DUTY WC washbasin combination

Modell-Linie: HEAVYDUTY | HDTX806R  
Heavy Duty | Fångelse moduler



### KWC-No.

#### 2000100956

Version with WC pan angled 45° to the left

#### 2000100957

Version with centrally arranged WC pan Dimensions 390 x 1000 x 780 mm (W x H x D)

#### 2000100958

Version with WC pan angled 45° to the right Dimensions 699 x 1000 x 669 mm (W x H x D)

### Toalett placering

Vänster

Mitten

Höger

Chromium nickel steel WC wash basin combination, satin finish surface for installing outside a utility room accessible from the back with remotely controlled tap components for fitting in the utility room, fixing from the back with threaded pins. Mounting stand, material thickness 2 mm with elevated rear wall including wall outlet and piezo button with start/stop function with seamless welded WC paper compartment and seamless moulded wash basin with trap, outlet DN 40. WC pan, material thickness 1.6 mm with full-length skirting, arranged on the right 45 degrees, bowl rim where nothing

can hide with piezo button for WC flushing, flushing certified pursuant to EN 997, horizontal outlet at the back DN 100. With solenoid to connect to premixed hot water or cold water. Condensation water-proof concealed cistern with single flush technology (9 or 6 litres) Supply voltage 24 V DC Including fixing material.

Overall dimensions 699 x 1000 x 669 mm (W x H x D)

### Technical Data

Kroppsvidd

390 mm

Främre ingångs panel

Ja

Golvfixerad skak platta

Nej

Inbyggnadsmått

DN 15

Material

Rostfritt stål

Materialkod

1.4301

Material tjocklek kropp

2 mm

Material tjocklek WC

1.5 mm

Utloppets storlek

DN50#DN100

Övergripande djup

669 mm

Total höjd

1,000 mm

Total bredd

699 mm

Bräddavlopp

Nej

rör material

Rostfritt stål

Självstängande tryck knapp

ELECTRONICAL

Toalett rulls diameter

153 mm

Skruvad design

Rund form

Tvål kopp

Nej

Sprut längd

83 mm



## KWC HEAVY-DUTY WC washbasin combination

Modell-Linie: HEAVYDUTY | HDTX806R  
Heavy Duty | Fångelse moduler

Ytfinish
kran med spolmunstycke
typ av spolsystem
Typ av montering
Typ av toaletsits
Typ av WC
övre kanten av skålhöjden
Stående djup
Stående höjd
Toalett höjd
Toalett placering

Satin yta
Nej
WC
Bult montering
NO-SEAT
Golv stående
850 mm
20 mm
150 mm
400 mm
Höger

### Nödvändiga tillbehör



ECC2 function controller

**2000108123**  
ZA30P0011



ECC2 function controller

**2030016282**  
ZA30P0022




Strömförsörjning - A3000 open

**2000100375**  
ZAQUA007




Strömförsörjning

**2000102691**  
ZAQUA094



System-kabel

**2000100801**  
ZAQUA077



System-kabel

**2000100852**  
ZAQUA078



System-kabel

**2000104272**  
ZAQUA011



System-kabel

**2000104274**  
ZAQUA012

### Reservdelar

## KWC HEAVY-DUTY WC washbasin combination

Modell-Linie: HEAVYDUTY | HDTX806R  
Heavy Duty | Fångelse moduler



Wall outlet, DN 15

**2000107291**  
ZTAPS0004



Elektronisk t-fördelning

**2000100853**  
ZAQUA075



Solenoid valve

**2000101328**  
ZAQUA032



Stainless steel care set

**2000109019**  
ZWSP0024



Cleaning product CHROMOL

**2000105091**  
ZWSP0023