


KWC HEAVY-DUTY WC washbasin combination

Modell-Linie: HEAVYDUTY | HDTX816L
Heavy Duty | Fångelse moduler



KWC-No.

2000100968

Version with WC pan angled 45° to the left, Dimensions 810 x 1050 x 780 mm (W x H x D)

2000100969

Version with centrally arranged WC pan Dimensions 500 x 1050 x 890 mm (W x H x D)

2000100970

Version with WC pan angled 45° to the right Dimensions 810 x 1050 x 780 mm (W x H x D)

Toalett placering

Vänster

Mitten

Höger

Chromium nickel steel WC washbasin combination, satin finish surface, for installing against a wall, with integrated electronic tap components. Invisible fixing with grub screws, lockable inspection opening. Mounting stand, material thickness 2 mm with elevated rear wall including wall outlet and piezo button with start/stop function with seamless welded toilet paper roll compartment and seamless moulded wash basin with plastic trap. WC pan, material thickness 1.6 mm with full-length skirting, arranged on the left 45

degrees, bowl rim where nothing can hide with piezo button for WC flushing, flushing certified pursuant to EN 997, horizontal outlet at the back DN 100 With solenoid to connect to premixed hot water or cold water. Condensation water-proof concealed cistern with single flush technology (9 or 6 litres) Supply voltage 24 V DC including fixing material.

Overall dimensions 810 x 1050 x 780 (W x H x D)

Technical Data

Kroppsvidd

500 mm

Främre ingångs panel

Ja

Golvfixerad skak platta

Nej

Inbyggnadsmått

DN 15

Material

Rostfritt stål

Materialkod

1.4301

Material tjocklek kropp

2 mm

Material tjocklek WC

1.5 mm

Utloppets storlek

DN50#DN100

Övergripande djup

780 mm

Total höjd

1,050 mm

Total bredd

810 mm

Bräddavlopp

Nej

rör material

Rostfritt stål

Självstängande tryck knapp

ELECTRONICAL

Toalett rulls diameter

153 mm

Skruvad design

ANGLED-CORNERS

Tvål kopp

Nej

Sprut längd

83 mm



KWC HEAVY-DUTY WC washbasin combination

Modell-Linie: HEAVYDUTY | HDTX816L
Heavy Duty | Fångelse moduler

Ytfinish
kran med spolmunstycke
typ av spolsystem
Typ av montering
Typ av toaletsits
Typ av WC
övre kanten av skålhöjden
Stående djup
Stående höjd
Toalett höjd
Toalett placering

Satin yta
Nej
WC-CISTERN
Väggmontering
NO-SEAT
Golv stående
850 mm
160 mm
200 mm
400 mm
Vänster

Nödvändiga tillbehör



ECC2 function controller

2000108123
ZA30P0011



ECC2 function controller

2030016282
ZA30P0022




Strömförsörjning - A3000 open

2000100375
ZAQUA007




Strömförsörjning

2000102691
ZAQUA094



System-kabel

2000100801
ZAQUA077



System-kabel

2000100852
ZAQUA078



System-kabel

2000104272
ZAQUA011



System-kabel

2000104274
ZAQUA012

Reservdelar

KWC HEAVY-DUTY WC washbasin combination

Modell-Linie: HEAVYDUTY | HDTX816L
Heavy Duty | Fångelse moduler



Wall outlet, DN 15

2000107291
ZTAPS0004



Elektronisk t-fördelning

2000100853
ZAQUA075



Solenoid valve

2000101328
ZAQUA032



Stainless steel care set

2000109019
ZWSP0024